

iYYo

Electric Vehicles
No Noise – No Smell – No Emission



Name & Configuration	iYYo Ev200 Bestelwagen met Bak
■ Size & Weight	
Seats number	2 Seater
L×W×H(mm)	4330×1500×2210
Wheel base (mm)	2500
Front/rear overhang(mm)	660/1170
Cargo box inside size(mm)	2455×1390×1410
Gross weight(kg)	2150
Curb Weight(kg)	1350
Rated loading capacity(kg)	670
Tires	175R13LT8PR-97J

Min. Turning Diameter(m)	9.5
Min Ground Clearance(mm)	180
■ Power & Performance	
Motor type	Three-phase AC asynchronous motor
Controller type	AC asynchronous motor controller
Motor Rated/peak power	15kw/30kw
Energy consumption	13.5kwh per hundred km
Rated voltage	144V
Driving Form	4×2 Rear wheeldrive
Transmission	D/P/R 3 gears
Max. Speed (km/h)	>72Km/h
Max. Gradeability	≥15%
Driving Range(Km)	*Circa 150 (Under standard conditions and average speed 40km/h)
■ Brake & Suspension	
Brake system (F/R)	Front disc brake, rear EVP hydraulic dual curcuit drum brake
Suspension (F/R)	Front McPherson suspension, rear leaf spring suspension
Braking Energy Regeneration Function	●

■ Battery & Charging System	
Battery	Lithium iron phosphate battery, 154V, 144Ah
BMS	●
3.3KW On-board charger	●
220V normal charge (6 hours)	●
<p>Remark: “●” means standard, “-” means without, “○” means optional. Druk en/of zetfouten en prijs- en/of specificatiewijzigingen voorbehouden. Afgebeelde accessoires kunnen optioneel zijn. *afhankelijk van omstandigheden, gebruik en zonder gebruik kachel.</p>	